


# 29252EA.MB

Axialpendelrollenlager (metrisch)



## Details:

| Hauptabmessungen    |        |                       |     |
|---------------------|--------|-----------------------|-----|
| d [mm]              | 260    | T <sub>1</sub> [mm]   | 30  |
| D [mm]              | 360    | T <sub>2</sub> [mm]   | 22  |
| T [mm]              | 60     | T <sub>3</sub> [mm]   | 38  |
| Gewicht [kg]        | ≈ 17,9 | T <sub>4</sub> [mm]   | 57  |
|                     |        | A [mm]                | 139 |
| d <sub>1</sub> [mm] | ≈ 340  | r <sub>1,2</sub> [mm] | 2,1 |
| D <sub>1</sub> [mm] | ≈ 302  |                       |     |



| Anschlussmaße            |     | Berechnungsdaten                     |      |
|--------------------------|-----|--------------------------------------|------|
| d <sub>a, min</sub> [mm] | 310 | C [kN]                               | 1030 |
| d <sub>b, max</sub> [mm] | 271 | C <sub>0</sub> [kN]                  | 4550 |
| D <sub>a, max</sub> [mm] | 331 | C <sub>u</sub> [kN]                  | 397  |
| r <sub>a, max</sub> [mm] | 2,1 | n <sub>th</sub> [min <sup>-1</sup> ] | 1012 |
|                          |     | n <sub>g</sub> [min <sup>-1</sup> ]  | 1700 |